

Передача в РС ЕРЗЛ сведений о лицах, застрахованных по ОМС в другом субъекте РФ (Иногородние)

Передача основных сведений об Иногородних:

```
<addUpdateNonresidentPersonRequest xmlns="http://erzl.org/services">
```

```
<client>
```

```
<orgCode>XXX</orgCode>
```

```
<bpCode>XXX</bpCode>
```

```
<system>XXX </system>
```

```
<user>XXX</user>
```

```
<password>XXX</password>
```

```
</client>
```

```
<Person>
```

```
<surname>Петров</surname>
```

```
<namep>Иван</namep>
```

```
<patronymic>Васильевич</patronymic>
```

```
<!-- no getRefSexM -->
```

```
<sexId>2</sexId>
```

```
<!-- no getRefSexM -->
```

```
<medSexId>2</medSexId>
```

```
<!-- no getRefOKSM -->
```

```
<citizenDescrCode>43949</citizenDescrCode>
```

```
<dateBirth>1982-09-30</dateBirth>
```

```
<plbirth>пф</plbirth>
```

```
<recordSt>1</recordSt>
```

```
</Person>
```

```
</addUpdateNonresidentPersonRequest>
```

Передача сведений о полисах:

Полис нового образца, электронный полис, полис в составе УЭК:

1	Бумажный полис ОМС единого образца	П
3	Электронный полис ОМС единого образца	Э
11	Полис в составе УЭК	К

```
<addUpdatePolicyRequest xmlns="http://erzl.org/services">
```

```
<client>
```

```
<orgCode>XXX</orgCode>
```

```
<bpCode>XXX</bpCode>
```

```
<system>XXX </system>
```

```
<user>XXX</user>
```

```
<password>XXX</password>
```

```
</client>
```

```
<Policy>
```

```
<nonresId>XXX</nonresId>
```

```
<!-- no getRefPolicyType-->
```

```
<policyT>1</policyT>
```

```
<policyEnp>2353900895000164</policyEnp>
```

```
<plDateB>2016-04-04</plDateB>
```

```
<!-- getRefInsuranceRf-->
```

```
<insurpId>125</insurpId>
```

```
<!--В вашем случае всегда 1-->
```

```
<sPolicyStatusCode>1</sPolicyStatusCode>
```

```
<sexId>2</sexId>
```

```
<!-- no getRefOkato-->
```

```
<okatold>35585571</okatold>
```

```
<recordSt>1</recordSt>
```

```
</Policy>
```

```
</addUpdatePolicyRequest>
```

Временное свидетельство:

2	Временное свидетельство	В
---	-------------------------	---

```
<addUpdatePolicyRequest xmlns="http://erzl.org/services">
```

```
<client>
```

```
<orgCode>XXX</orgCode>
```

```
<bpCode>XXX</bpCode>
```

```
<system>XXX </system>
```

```
<user>XXX</user>
```

```
<password>XXX</password>
```

```
</client>
```

```
<Policy>
```

```
<nonresId>XXX</nonresId>
```

```
<policyT>2</policyT>
```

```
<tmpcertNum>141125520</tmpcertNum>
```

```
<tmpcertDateB>2017-10-04</tmpcertDateB>
```

```
<tmpcertDateE>2017-11-15</tmpcertDateE>
```

```
<insurpld>397</insurpld>
```

```
<sPolicyStatusCode>1</sPolicyStatusCode>
```

```
<sexId>2</sexId>
```

```
<okatold>35648909</okatold>
```

```
<recordSt>1</recordSt>
```

```
</Policy>
```

```
</addUpdatePolicyRequest>
```

Полис старого образца:

4	Полис старого образца	С
---	-----------------------	---

```
<addUpdatePolicyRequest xmlns="http://erzl.org/services">
```

```
<client>
```

```
<orgCode>XXX</orgCode>
```

```
<bpCode>XXX</bpCode>
```

```
<system>XXX </system>
```

```
<user>XXX</user>
```

```
<password>XXX</password>
```

```
</client>
```

```
<Policy>
```

```
<nonresId>XXX</nonresId>
```

```
<policyT>4</policyT>
```

```
<policySer>46-27</policySer>
```

```
<policyNom>099005</policyNom>
```

```
<plDateB>1999-12-12</plDateB>
```

```
<plDateE>2022-12-12</plDateE>
```

```
<plDateH>1999-12-12</plDateH>
```

```
<insurpId>410</insurpId>
```

```
<sPolicyStatusCode>1</sPolicyStatusCode>
```

```
<sexId>2</sexId>
```

```
<okatold>35648909</okatold>
```

```
<recordSt>1</recordSt>
```

```
</Policy>
```

```
</addUpdatePolicyRequest>
```

Передача сведений о документах, удостоверяющих личность:

```
<addUpdateDudlRequest xmlns="http://erzl.org/services">
```

```
  <client>
```

```
    <orgCode>XXX</orgCode>
```

```
    <bpCode>XXX</bpCode>
```

```
    <system>XXX </system>
```

```
    <user>XXX</user>
```

```
    <password>XXX</password>
```

```
  </client>
```

```
  <Dudl>
```

```
    <!-- no getRefDocIdnt -->
```

```
      <dudlTId>5215</dudlTId>
```

```
      <nonresId>XXX</nonresId>
```

```
      <dudlSer>77 77</dudlSer>
```

```
      <dudlNom>777777</dudlNom>
```

```
      <dudlDateIss>2012-08-28</dudlDateIss>
```

```
      <dudlDateB>2012-08-28</dudlDateB>
```

```
      <issuerName>отд уфмс россии по смоленской обл. в ленинском р-не г. смоленска</issuerName>
```

```
      <oksmId>43949</oksmId>
```

```
      <recordSt>1</recordSt>
```

```
    </Dudl>
```

```
</addUpdateDudlRequest>
```

Передача сведений об адресах:

Для московских адресов

```
<addUpdateAddressRequest xmlns="http://erzl.org/services">
```

```
<client>
```

```
<orgCode>XXX</orgCode>
```

```
<bpCode>XXX</bpCode>
```

```
<system>XXX </system>
```

```
<user>XXX</user>
```

```
<password>XXX</password>
```

```
</client>
```

```
<Address>
```

```
<nonresId>XXX</nonresId>
```

```
<!-- no getRefAdrType-->
```

```
<adrTypeId>1</adrTypeId>
```

```
<okatold>35648483</okatold>
```

```
<oksmld>43949</oksmld>
```

```
<mMoscow>1</mMoscow>
```

```
<crNum>1</crNum>
```

```
<appNum>53</appNum>
```

```
<houseNum>3</houseNum>
```

```
<!-- no getRefStreetMoscow-->
```

```
<streetId>12223</streetId>
```

```
<mPost>0</mPost>
```

```
<!--обязательность заполнения зависит от getRefAdrType -->
```

```
<dateReg>2001-04-18</dateReg>
```

```
<recordSt>1</recordSt>
```

```
</Address>
```

```
</addUpdateAddressRequest>
```

Для адресов вне г. Москва

```
<addUpdateAddressRequest xmlns="http://erzl.org/services">
```

```
<client>
```

```
<orgCode>XXX</orgCode>
```

```
<bpCode>XXX</bpCode>
```

```
<system>XXX </system>
```

```
<user>XXX</user>
```

```
<password>XXX</password>
```

```
</client>
```

```
<Address>
```

```
<nonresId>XXX</nonresId>
```

```
<!-- no getRefAdrType-->
```

```
<adrTypeId>1</adrTypeId>
```

```
<!-- no getRefOkato-->
```

```
<okatId>35648909</okatId>
```

```
<oksmId>43949</oksmId>
```

```
<mMoscow>0</mMoscow>
```

```
<houseNum>11</houseNum>
```

```
<street>Кирова</street>
```

```
<mPost>0</mPost>
```

```
<dateReg>2003-02-01</dateReg>
```

```
<recordSt>1</recordSt>
```

```
<!-- Наименование из getRefStreetType-->
```

```
<streetType>улица</streetType>
```

```
<locality>Химки</locality>
```

```
<!-- Наименование из по RefLocalityType-->
```

```
<localityType>Город</localityType>
```

```
</Address>
```

```
</addUpdateAddressRequest>
```